



2	38	147	2
1 1/2	32	133.5	1 1/2
1	18	88	1
3/4	15	84	3/4
1/2	10	71	1/2
NPS	d	L	NPT
1 1/4"	24	117	1 1/4"

Performance Specification	
Nominal Pressure	1000WOG
Shell test	3.8
	MPa
Gas test	0.6
	MPa
Working Temperature	-29~150 °C
Medium: water oil & gas	

- Technical Specification
1. Design and manufacture to ASME B16.34;
 2. Face-to-face refer to MFG Standard;
 3. Ends Connection Thread to ASME B1.20.1;
 4. Inspection and test: API 598.

6	Thrust gasket	PTFE	12	Nut	304
5	Stem	316L	11	Handle	201
4	Ball	316L	10	Nut	304
3	Seat	PTFE	9	Disc Spring	304
2	Gasket	PTFE	8	Gland	316L
1	Body	CF3M	7	Packing	PTFE
NO.	PART NAME	MATERIAL.	NO.	PART NAME	MATERIAL

MARK		QTY	FILE NO.	SIGN	DATE	1000WOG	BV3W	
DESIGN	STANDARD	NPS 1/2~2						Three-way Ball Valve
CHECK	TECHNOLOGY	ASSEMBLY DRAWING				DATE	WT.	
							DRAW REV.	01

CHECKED BY
 PRINTED BY
 QLD DRAWING NO.
 BASED DRAWING NO.
 SIGNATURE
 DATE